Bird D.—First draught, 4 seconds; second, 3 seconds. Stopped between draughts to "bob" to the fifth bird.

Bird E.—First draught, 9 seeonds; seeond, 2 seeonds.

(Birds C, D, and E were at the water's edge simultaneously.) Bird F.—Took several small drinks.

Bird G.—First draught, 1 seeond; seeond, 8 seeonds; third, 3 seconds; fourth, 2 seeonds.

Bird H.—First draught, 10 seconds; second, 8 seconds; third, 8 seconds.

The watering birds usually showed some signs of agitation and were easily disturbed. They tended to take long draughts, up to ten seeonds, but when agitated, e.g., by the arrival or departure of other Bronzewings, shortened the draughts and apparently, in the aggregate took less water.

—ERIC H. SEDGWICK, Leonora.

A Sea-going Crow.—In *The Emu*, vol. 49, Oetober 1949, p. 83, A. R. McGill refers to several instances of the Colombo Crow (Corvus splendens) accompanying ships on the voyage from Ceylon to Fremantle. Crows are usually associated with the inland and certainly are not considered to be sea-birds, although they are frequently observed on the seashore around such installations as meatworks, shore whale stations, etc., where there is a plentiful supply of offal. Therefore the following observation of an Australian species of crow at sea may be worthy of record.

On November 12, 1948, I was on board the C.S.I.R.O. fisheries research vessel *Warreen* and at 12.10 p.m. a erow flew around the ship and finally landed. The ship at that moment was 16 nautical miles off the North-west coast, in Latitude 23° 33′ S.; Longtitude 113° 25′ E. The weather was clear with a South-west wind, force 2 on the Beaufort seale and had been the same for the previous day. The erow had white feather bases and brown eyes and from its comparatively small size was identified as an immature Little Crow (Corvus bennetti).

Earlier in the day we had been doing some experimental shots with a Danish seine net and this was stacked on the after deek with a number of small fish still enmeshed. The bird promptly started to make a meal of these and was not unduly perturbed when members of the erew approached within about 10 feet. It accepted small pieces of turtle meat which were thrown to it and finally allowed itself to be photographed with a movie eamera from a range of 6 feet. Oeeasionally when someone approached too close it would take off and pereh on the yardarm but would immediately return to its meal of fish when the person eoneerned retreated. Almost the whole time the bird was on board it was feeding and must have eonsumed nearly alb. of fish and turtle meat. At 6.10 p.m. we anehored about half a mile off the north side of Red Bluff and the erow, as if aware it had travelled as far as we were going, took off and flew towards the shore. Had the Warreen been steaming west instead of east when it pieked up the erow the bird would have almost eertainly duplicated the hitch-hiking feat of the Colombo Crows.

-BRUCE SHIPWAY, South Perth.